



## [PSA 128 MAX, PSA 256 MAX & PSA 256 MAX Jordan Firmware upgrade procedure](#)


1. Download the zip file from the site. Then unzip the file into a temp folder on your computer.
2. At Start->Programs->Nike->psa128max or psa256max or psa256maxJordan, select and launch “Upgrader”.
3. When the user starts the Upgrader with no device connected, the following screen is seen with the *Start* button disabled.



- The *Start* button is enabled only when the correct device is connected




- Click on the “...” button to browse and select the unzipped firmware file to be loaded into the device and then click open
  - For psa128max, please select the file psa128max\_ACT211\_Western.ebn or psa128max\_ACT211\_Aasian.ebn(With Asian fonts)
  - For psa256max, please select the file psa256max\_ACT215\_Western.ebn or psa256max\_ACT215\_Aasian.ebn(With Asian fonts)
  - For psa256max Jordan, please select the file psa256maxJordan\_ACT216.ebn.



- Place a fresh battery to the set and connected to the PC

- The user is informed that the device will be upgraded with the new firmware. On pressing OK, the firmware is loaded.



- Disconnect the device so that the device upgrades to the new firmware

-Press the play key and the LCD display shows :” FUpgrade”

-Wait until the set switch off automatically.

-The set is then upgraded .

