

PHILIPS

Electric shaver

Shaver series 3000



HQ8150/16



For a faster and closer shave

50% more shaving surface

The advanced Speed-XL shaving heads provide 50% more shaving surface* for a faster and closer shave.

*compared to standard rotary shaving heads.

Fast and close shave

- Speed-XL shaving heads for a fast and close shave

Shaves even the shortest stubble

- Precision Cutting System

Comfortably close

- Super Lift & Cut technology

Adjusts to every curve of your face and neck

- Reflex Action system
- Individually floating heads

Simply rinses clean

- Washable shaver


Highlights

Speed-XL shaving heads



The three shaving tracks offer 50% more shaving surface for a fast and close shave.
*compared to standard rotary shaving heads.

Precision Cutting System



The electric shaver has ultra thin heads with slots to shave the long hairs and holes to shave even the shortest stubble.

Super Lift & Cut technology



The dual blade system of this electric shaver lifts hairs to cut comfortably below skin level.

Reflex Action system



Automatically adjusts to every curve of your face and neck.

Individually floating heads



Align the razor sharp blades of your Philips shaver closer to your skin for exceptional closeness.

Washable shaver



The waterproof shaver can be easily rinsed under the tap.

Battery low indicator



Battery low indicator

Cordless and corded use



Cordless and corded use

Charging stand

Charging stand

Specifications

Shaving Performance

Shaving system: Precision Cutting System, Super Lift & Cut technology

Contour following: Reflex Action system, Individual floating heads

Styling: Precision trimmer

Ease of use

Display: Battery full indicator, Battery low indicator, Charge indicator

Charging: Rechargeable, Quick charge, Corded

Charging: 1 hour

Shaving time: 18 days

Cleaning: Washable

Design

Finishing: Chromed display, Lacquer, Multipurpose chromed display

Accessories

Stand: Charging stand

Pouch: Soft pouch

Maintenance: Cleaning brush, Protective cap

