PHILIPS

AVENT

DECT baby monitor

SCD520/00

Right temperature, complete comfort

Zero interference guaranteed with DECT technology

Enjoy complete peace of mind with the new Philips AVENT range of DECT Baby Monitors you can relax, safe in the knowledge your baby's happy even when you are out the room.

Zero interference
- DECT technology guarantees zero interference

Crystal clear sound
- Reassurance with crystal clear sound
- Choose the best sound level for your surroundings
- LEDs light to signal noise levels

330 m range
- Extra long range for total mobility
- Up to 24 hour operation time before recharge
- Always know that you are connected

Total comfort
- Monitor the temperature in baby's room
- Remote activated night light and lullabies
- Stay connected with talk back

Highlights

Guaranteed zero interference

DECT technology guarantees zero interference from any other transmitting product like other baby monitors, cordless phones and cell phones. Data encryption provides a secure and private connection, so you can be sure that you are the only one that can hear your baby

Extended operating range



With a range of 330m, belt clip and neck cord so you can be fully mobile in and around the home

Superior operating time

The small, rechargeable parent unit will give you the freedom of cordless roaming for up to 24 hours before re-charging is required

LEDs light to signal noise



Lights are activated to indicate the level of sound in your baby's room. Even with the parent unit is muted, a sound alert will notify you when a set sound level is reached

Lullabies and night light

Your baby may still be restless when you first put them to bed. Help soothe and calm your baby to sleep with the warm tranquil glow of the night light. Activate from the parent or baby unit. (Remote activation not available in US) There's nothing like a gentle lullaby to calm a restless baby. From any room in the house you can elect one of 5 relaxing tunes, helping your baby to drift effortlessly to sleep in no time. (Remote activation not available in US)

Two way communication

Sometimes all your baby needs is the soothing sound of your voice. With one click of this essential feature you can connect with your baby from anywhere around the home

Digital temperature display

Your baby can't regulate its body temperature as well as you can and a slight change in temperature can make your baby restless. A special electronic temperature sensor will immediately alert you, through the digital display on the parent unit, if your baby's room becomes too hot or too cold

Specifications

Technical specifications
Operating temperature range: 10 - 40 °C
Storage temperature range: 10 - 40 °C

Tuner/Reception/Transmission
Frequency band: DECT
Automatic channel selection
Number of channels: 120

Convenience
Auto out of range warning
Battery charging indication
Battery low indication
Sound-level lights
Volume control
Sensitivity control

Accessories
AC/DC adaptor
Batteries
Belt clip
DFU/ user manual
Quick start guide
Charging base for parent unit
Neck cord

Power
Charging time: 8 hour(s)
Power supply: 220 - 240 V
Power supply: 120 V (US)
Operating time on battery: 24 hour(s)

Logistic data
F-box dimensions (W x H x D): 220 x 156 x 94 mm

Development stages
Stages: Pregnancy, 0 - 6 months

© 2020 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2020-08-11
Version: 9.2.1

12 NC: 8841 520 00000

www.philips.com

* This product is available in the US and Canada with only fahrenheit settings.