



Philips
Digital grounding block

Single

SDW5002O



Prevent static electricity

on cable and satellite systems

High frequency grounding blocks effectively guard against static electricity build-up on cable and satellite systems.

Enjoy extended durability

- Corrosion-resistant connectors

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS

sense and simplicity

Digital grounding block
Single

Specifications

Packaging

- EAN/UPC/GTIN: 6 09585 12025 9
- Gross Weight: .1 kg
- Height: 2.5 cm
- Length: 6.3 cm
- Net Weight: .08 kg
- Quantity: 1
- Tare Weight: .02 kg
- Width: 4.4 cm

Inner Carton

- EAN/UPC/GTIN: 1 06 09585 12025 6
- Quantity: 6
- Gross Weight: 0.70 kg
- Height (cm): 10.2 cm

- Length (cm): 15.7 cm
- Net Weight: 0.55 kg
- Tare Weight: 0.15 kg
- Width (cm): 10.8 cm

Outer Carton

- EAN/UPC/GTIN: 2 06 09585 12025 3
- Quantity: 72
- Gross Weight: 3.50 kg
- Height (cm): 22.2 cm
- Length (cm): 34.9 cm
- Net Weight: 2.60 kg
- Tare Weight: 0.90 kg
- Width (cm): 34.3 cm

SDW5002O/17

Product highlights

Corrosion-resistant connectors

Compressed brass with 24K gold-electroplated connectors creates a secure and extremely durable connection that optimizes signal quality and delivers the best picture and data transfer.



Issue date 2007-12-09

Version: 4.0.12

12 NC: 8670 000 2463 I
UPC: 6 09585 12025 9

© 2007 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com