



Philips
DVI cable

6 ft

SWV3412W



Turn up your viewing experience

with this DVI cable

Step up to a better connection for transferring video signals between your components.

Enjoy superior picture quality

- 24 carat gold-plated connectors optimize signal
- High purity copper conductor for reliable signal transfer

Protects against signal loss

- Copper braided reinforced aluminum shielding

Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Flexible PVC jacket
- Rubber strain relief
- Protective metal shell for extended durability

PHILIPS
sense and simplicity

DVI cable
6 ft

Specifications

Packaging dimensions

- Packaging dimensions (W x H x D):
19.7 x 26.7 x 2.5 cm
- Nett weight: 0.182 kg
- Gross weight: 0.227 kg
- Tare weight: 0.045 kg
- UPC: 6 09585 14846 8
- Number of products included: 1
- Packaging type: Blister

Outer Carton

- Outer carton (L x W x H): 27.9 x 20.3 x 12.7 cm
- Nett weight: 0.726 kg
- Gross weight: 1.361 kg
- Tare weight: 0.635 kg
- GTIN: 1 06 09585 14846 5
- Number of consumer packagings: 4

SWV3412W/27

Highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

Braided shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.



Issue date 2010-12-10

Version: 2.0.7

12 NC: 8670 000 37064
UPC: 6 09585 14846 8

© 2010 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com