

Philips
S-video cable

1,5 m

SWV6380



Enjoy the ultimate viewing experience

with this premium video cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring video signals between components.

Enjoy superior picture quality

- 24 carat gold-plated connectors optimize signal

Protects against signal loss

- Copper braided shielding
- 100% aluminum shielding
- Oxygen-free copper conductor for ideal signal transfer
- Foam Polyethylene (FPE) Dielectric

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

PHILIPS

S-video cable
1,5 m

Specifications

Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 95427 3
- Gross weight: .21 kg
- Tare weight: .08 kg
- Net weight: .13 kg
- Length: 230 mm
- Width: 165 mm
- Height: 60 mm

Inner Carton

- EAN/UPC/GTIN: 87 10895 97638 1
- Quantity: 2
- Gross weight: .54 kg
- Tare weight: .28 kg

- Net weight: .26 kg
- Length: 230 mm
- Width: 105 mm
- Height: 175 mm

Outer Carton

- EAN/UPC/GTIN: 87 10895 97639 8
- Quantity: 4
- Gross weight: 1.37 kg
- Tare weight: .85 kg
- Net weight: .52 kg
- Length: 250 mm
- Width: 235 mm
- Height: 195 mm

SWV6380/93

Highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

Solid high purity OFC

This oxygen-free copper conductor provides the highest accuracy in signal transfer with minimal resistance.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

FPE Dielectric

Foam Polyethylene (FPE) dielectric is a superior insulation material that protects against signal loss.



Issue date 2019-04-24

Version: 4.0.7

12 NC: 9082 100 07589
EAN: 87 10895 95427 3

© 2019 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com