

Philips
S-video cable

3.0 m

SWV6381



Enjoy the ultimate viewing experience

with this premium video cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring video signals between components.

Enjoy superior picture quality

- 99.97% Oxygen-Free Copper (OFC)

Protects against signal loss

- Copper braided shielding
- Foam Polyethylene (FPE) Dielectric
- 100% aluminum shielding
- Oxygen-free copper conductor for ideal signal transfer

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

PHILIPS

S-video cable
3.0 m

Specifications

Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 95428 0
- Gross weight: .37 kg
- Tare weight: .13 kg
- Net weight: .24 kg
- Length: 285 mm
- Width: 200 mm
- Height: 90 mm

Inner Carton

- EAN/UPC/GTIN: 87 10895 97640 4
- Quantity: 2
- Gross weight: 1.08 kg
- Tare weight: .6 kg

- Net weight: .48 kg
- Length: 315 mm
- Width: 150 mm
- Height: 210 mm

Outer Carton

- EAN/UPC/GTIN: 87 10895 97641 1
- Quantity: 4
- Gross weight: 2.8 kg
- Tare weight: 1.84 kg
- Net weight: .96 kg
- Length: 330 mm
- Width: 325 mm
- Height: 235 mm

SWV6381/93

Highlights

Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

FPE Dielectric

Foam Polyethylene (FPE) dielectric is a superior insulation material that protects against signal loss.

100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

Solid high purity OFC

This oxygen-free copper conductor provides the highest accuracy in signal transfer with minimal resistance.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

99.97% OFC solid conductor

99.97% Oxygen-free copper (OFC) cable core provides optimum signal quality.



Issue date 2019-04-24

Version: 4.0.7

12 NC: 9082 100 07591
EAN: 87 10895 95428 0

© 2019 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com