

# PHILIPS

## Line

### Xperion 6000

300 lm Boost / 150 lm Eco

120 lm Spotlight

Battery life: 4,5h (Eco: 8h)

Durable with broad light beam



X60LINEX1



## Designed with you in mind

Advanced lighting performance that lasts

Designed with a 110° broad beam of 150 lm in Eco and 300 lm in Boost mode, the Philips Xperion 6000 Line is ideal for lighting up larger areas. It is equipped with a 120 lm torch beam to direct the light where it is needed.

#### See where others can't

- Premium LED light with multiple outputs
- Long running time in different light modes

#### Smart, ergonomic design

- Precision light with wide beam angle
- Smart rotatable hook with magnet and ergonomic body

#### Handles tough conditions easily


- Resistant to impacts, water and solvents (IP65/IK07)

#### Extended warranty

- Extend your warranty online to 3 years

# Highlights

## Multiple light modes



The Philips Xperion 6000 Line produces bright natural LED white light to maximize visual comfort and reduce eye strain for fatigue-free work. The main beam on the Philips Xperion 6000 Line offers two output levels: 150 lm in Eco mode with extended battery life and 300 lm in Boost mode. This flexibility allows you to choose the right amount of brightness for the job at hand.

## Light modes for multiple needs



The Philips Xperion 6000 Line is designed to be ready for action. A single charge provides enough energy for a full day's work: up to 8 hours in Eco mode, 4,5 hours in Boost mode, and 9 hours with the torch beam. Powered by

a powerful Li-ion battery, the Xperion 6000 Line can be fully charged within 3,5 hours via USB-C, ensuring maximum usage of its bright LED light.

## Illuminate your work



The Philips Xperion 6000 Line features a 110° beam-angle light module ensuring broader illumination of your work area.

## Enables hands-free working



Designed with you in mind, the ergonomically shaped handle with anti-slip coating allows you to hold this work light securely. If you need both hands free for work, position the light securely thanks to the 360° rotatable, retractable hook and a strong magnet. The

power button is located on the back to ensure the light does not glare directly at your eyes when you turn it on.

## Designed for resistance



Designed to handle tough work environments with IK07 shock resistance, water-resistant to IP65 standards, and a surface that withstands chemicals and workshop solvents, the Philips Xperion 6000 Line is built to last because we know that even the steadiest hands need the extra support.

## Up to 3 years warranty



Benefit from Philips standard 2-year warranty plus 1 additional year<sup>1</sup>

# Specifications

## Electrical characteristics

**Battery capacity:** 2200 mAh  
**Battery charging time:** Up to 3,5 hours  
**Battery run time (boost):** Up to 4,5 hours  
**Battery run time (eco):** Up to 8 hours  
**Battery run time (Pointer):** Up to 9 hours  
**Battery type:** Lithium battery  
**Charging cable type:** Type C USB  
**Plug type:** EU plug (not included for UK)  
**Voltage:** 3.7 V  
**Wattage:** 3W  
**Power source:** Rechargeable battery

## Light characteristics

**Beam angle:** 110 degree  
**Beam angle (pointer):** 40 degree  
**Color temperature:** 6000 K  
**Light output (boost):** 300 lumens  
**Light output (eco):** 150 lumens  
**Light output (pointer):** 120 lumens

## Marketing specifications

**Expected benefits:** Designed with you in mind  
**Product highlight:** Durable with broad light beam

## Ordering information

**Order entry:** X60LINEX1  
**Ordering code:** 01473331

## Outerpack information

**Height:** 12.5 cm  
**Length:** 33 cm  
**Width:** 23.5 cm

## Packaging Data

**EAN1:** 8719018014733  
**EAN3:** 8719018014740

## Packed product information

**Cable length:** 100cm USB cable, 5V 1A adaptor  
**Height:** 31 cm  
**Length:** 5 cm  
**Pack Quantity / MOQ:** 6  
**Weight with batteries:** 382 g

## Product description

**Hands free options:** Rotatable hook, strong magnet  
**Hook:** 360° rotatable  
**Impact protection rating (IK):** IK07  
**Ingress protection rating (IP):** IP65  
**Magnet:** 1 magnet  
**Materials & finishing:** Robust ABS  
**Operating Temperature:** -10°C to 40°C  
**Resistant to:** Grease, oil, workshop solvents  
**Technology:** SMD LED  
**UV leak detector:** No  
**Range:** Xperion 6000

